

# Material Safety Data Sheet

## Section 1 – PRODUCT & COMPANY IDENTIFICATION

Product Name:	CU-100 Diamond Screen
Product Use:	Urinal Screen
Manufacturer:	F-MATIC Inc. 299 S. Millpond Dr. Lehi, UT 84043
Telephone:	801-768-2000
Fax:	801-768-8337
MSDS Date:	01 Jun 2010

## Section 2 – INFORMATION ON INGREDIENTS AND COMPOSITION

Components – CAS Number	% W/W
Proprietary fragranced plastic compound    Proprietary	Vh
Enzyme    Proprietary (formulation information is considered trade secret)	L
Other    N/A	L

Percentage Legend: (Vl=<0.1%, Ml=0.1-1%, L=1-5%, M=5-10%, Mh=10-30%, H=30-60%, Vh=60-100%)

End

## Section 3 – HAZARDS IDENTIFICATION

HMIS Codes:	Health: 1    Flammability: 1    Reactivity: 0
Flash point:	> 149°C (300°F)
Flammability Limits:	Not Established
LEL:	Not Established
UEL:	Not Established

## Section 4 – FIRST-AID PROCEDURES

Emergency and First Aid Procedures:	
Eye Contact :	Flush eyes with water.
Skin Contact:	Wash with soap and water.

## Section 5 – FIRE FIGHTING MEASURES

Extinguishing Media: Water spray, carbon dioxide, dry extinguishers	
Special Fire Fighting Procedures:	Full protective equipment, including pressure demand self-contained Breathing apparatus and turnout equipment should be worn by fire fighters and others exposed to combustion by products.
Unusual Fire and Explosion Hazard:	None known

## Section 6 – ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of material release or spill:	Remove sources of ignition and provide ventilation. Pick up screens and return to storage.
---	---

## Section 7 – HANDLING AND STORAGE

Precautions to be taken in handling and storing:	Store away from sources of ignition and provide ventilation.
Other Precautions:	Always practice good housekeeping and hygienic measures.

Product Name: CU-100 Diamond Screen

**Section 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION**

Engineering Controls/Ventilation: Local exhaust ventilation.

Special: Not applicable

Mechanical: Not applicable

Other: Not applicable

Respiratory Protection: None

Eye Protection: None

Other Protective Clothing or Equipment: None

Work/Hygienic Practices: Always practice good housekeeping

**Section 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point: Not Determined Vapor Pressure: Not determined

Evaporations Rate: (Butyl Acetate = 1) < 1 Vapor Density (Air=1): > 1

Melting Point: Not Determined Solubility in water: Negligible

Appearance: Colored translucent polymer screen with various fragrances.

Specific Gravity (Water=1): 0.920 ~ 0.960 g/cm<sup>3</sup>

**Section 10 – STABILITY AND REACTIVITY**

Stability: Stable

Conditions to Avoid: None.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Products: Oxides of carbon when burned.

Hazardous Polymerization: Will not occur

**Section 11 – TOXICITY INFORMATION**

Routs of Entry: Based on fragrance

Inhalation: Yes

Skin: Yes Eyes: No Ingestion: Unlikely

Health hazards (acute & Chronic): Toxicity is expected to below.

Eyes: May cause irritation Skin: May cause irritation

Signs & Symptoms of Exposure: Eyes and Skin: Irritation, redness

Medical conditions generally aggravated by exposure: None known

**Section 12 – ECOLOGICAL INFORMATION**

Not Established

**Section 13 – DISPOSAL CONSIDERATION**

Waste Disposal Method: Dispose only in accordance with applicable federal, state and local laws and regulations.

**Section 14 – TRANSPORTATION INFORMATION**

DOT Classifications: Non Hazardous

**Section 15 – REGULATORY INFORMATION**

None Required

**Section 16 – OTHER INFORMATION**

None Required

Disclaimer: The information in this MSDS was obtained from current sources. However, the data is provided without any warranty, express or implied regarding its correctness or accuracy, as such the vendor assumes no responsibility for injury or damages from use of this product.